



COOK

Isolation Damper

DATE: _____

PROJECT: _____

LOCATION: _____



Accessory Data Sheet
Gravity Isolation Damper
Counterbalanced
for TCNHBLE Mixing Box
Aluminum

STANDARD CONSTRUCTION FEATURES:

- Frame: 6063T5 extruded aluminum with .125" minimum wall thickness.
- Blades: 6063T5 extruded aluminum, .070" wall thickness with extruded vinyl edge seals.
- Bearings: Zytel.
- Linkage: 1/8" x 1/2" aluminum tiebars.
- Counterbalance: Zinc plated bar on blades (except top blade). Adjustable for final "on the job" setting.
- Temperature Limits: -40°F and +200°F.
- Finish: Air-dry enamel coating to match fan color.

OPTIONAL CONSTRUCTION FEATURES:

- Air-dry epoxy finish.



DIMENSION DATA

Qty	Mark	Size	A	B	No. Panels	Unit Wt.
		100	19	13-1/2	1	10
		120	23	17-1/2	1	15
		135	25	19-1/2	1	18
		150	27	21-1/2	1	21
		165	29	23-1/2	1	24
		180	33	26-1/2	1	31
		195	37	29-1/2	1	39
		210	39	31-1/2	1	44
		225	43	35-1/2	1	54
		245	45	37-1/2	1	60
		270	49	41-1/2	2	72
		300	55	47-1/2	2	92
		330	57	49-1/2	2	100
		365	60	52-1/2	2	111
		402	60	56-1/2	2	120
		445	60	61-1/2	2	130
		490	60	68-1/2	2	145

Note: Gravity Isolation Dampers are not to be used on multiple mixing box configurations.

ALL DIMENSIONS IN INCHES. WEIGHTS IN LBS. WEIGHT OF DAMPER ONLY.

X0225R00